British Journal of Industrial Medicine 1989;46:895–904

Index to Volume 46, 1989

Note: All conferences, notices and other announcements are under one heading: NOTICES

A

ABBATE C, POLITO I, PUGLISI A, BRECCIAROLI R, TANZARIELLO A and GERMANO D: Dermatosis from resorcinal in tyre makers, 212
ABRAHAM J L *see* BARBERS R G and ABRAHAM J L
Accidents, occupational, deaths from at work. United States, 541
Acetic acid, and reversible airways obstruction, and interstitial pneumonitis, 67
Acetone, and methyl ethyl ketone, neurobehavioural effects of short duration exposures, 111
Acid anhydrides, hypersensitivity and direct toxicity, 222
AGNEW J *see* SURUDA A and AGNEW J
Air pollution from incinerators, twinning in human populations and cattle exposed to: correspondence, 215
Aircraft factory, mortality cohort study, north Italy, 738
Alcian blue binding to red blood cells, what is measured by?, 286
Alcoholic spirits, water in reduction of hazard of cancer, 423
ALINOVI R *see* MUTTI A *et al*
Aluminium potroom workers, non-smoking, bronchoalveolar lavage fluid findings, 782
Alzheimer's disease and long term exposure to industrial solvents: correspondence, 750
Amphibole asbestos miners, relation between asbestosis and bronchial cancer, 537
ANDERSEN A *see* HELDAAS S S *et al*
ANDERSEN A RASK *see* RASK-ANDERSEN A
ANDERSEN G *see* REVSBECH P and ANDERSEN G
ANDERSON K, WATT A D, SINCLAIR D, LEWIS C, MCSHARRY C P, and BOYD G: Climate, intermittent humidification, and humidifier fever, 671
ANDERSSON L *see* FLODIN U *et al*
ANDERSSON M-C *see* SANDSTRÖM T *et al*
ÅNGSTRÖM T *see* SANDSTRÖM T *et al*
Antibody producing cells in mouse spleens treated with pathogenic mineral dust, 724
ANTTI-POIKA M *see* JUNTUNEN J *et al*
AONO H *see* ARAKI S and AONO H
APOSTOLI P, ROMEO L, PERONI E, FERIOLI A, FERRARI S, PASINI F and APRILI F: Steroid hormone sulphation in lead workers, 204
APRILI F *see* APOSTOLI P *et al*
ARAKI S and AONO H: Effects of water restriction and water loading on daily urinary excretion of heavy metals and organic substances in metal workers, 389
ARMSTRONG B *see* MCDONALD A D *et al*
ARMSTRONG B G, NOLIN A D and MCDONALD A D: Work in pregnancy and birth weight for gestational age, 196
ARMSTRONG B K *see* DE KLERK N H *et al*
ARNS R *see* EKLUND A *et al*
Arsenic exposure, relation to lung cancer, tin miners, Yunnan Province, China, 881
Arthropathy, occupational, evidence from the past, 420
Asbestos, and antibody producing cells in mouse spleens, 724
——cement industry, cancer incidence and mortality, Denmark, 90
——chrysotile and respiratory cancer, 180
——crocidolite, mortality of friction material workers, 1941–86, 176
——effects, progression, 97
——exposure, domestic, lung fibre burden, and pleural mesothelioma, in housewife, 354
—— ——laryngeal mucosa alterations after, 717
——factory workers, fibre content of lung and disease, east London: correspondence, 358
——induced plasminogen activator activity of peritoneal macrophages, effect of retinoic acid, 496
——insulation workers with lung cancer, pulmonary fibrosis: correspondence, 430
——miners, irregular opacities, progression, 846
——related lung disease, role of computed tomography in evaluating, 777
——samples, amosite, long and short fibre, inflammation generating potential, 271
——*see also* Mineral fibres
Asbestosis and bronchial cancer, relation between, amphibole asbestos miners, 537
——occurring after brief inhalational exposure, bronchoalveolar lavage useful in diagnosis, 106
——susceptibility, bronchoalveolar asbestos fibre content as marker, 853
Asphalt industry, cancer mortality, ten year follow up of occupational cohort, 582
Asphyxiation, deaths from at work, United States, 541
Asthma and chronic obstructive pulmonary disease mortality, soft paper mill, 192
——occupational, after exposure to azodicarbonamide, four cases, 60
—— ——, due to tylosin tartrate, 498: correspondence, 894
—— ——, due to unheated polyvinyl-chloride resin dust, 820
——, tea, response to specific and non-specific challenges, 350
ÅSTRAND N-E, HANSON B S, and ISACSSON S-O: Job demands, job decision latitude, job support, and social network factors as predictors of mortality in a Swedish pulp and paper company, 334
ATTEWELL R *see* NISE G *et al*
AUDORFF U BOLM- *see* BOLM-AUDORFF U
AW T C, SMITH A B, STEPHENSON R L, and GLUECK C J: Occupational exposure to zeranol, an animal growth promoter, 341
——*see also* HARRINGTON J M *et al*
AXELSON O: Confounding from smoking in occupational epidemiology: editorial, 505
——*see also* FORASTIERE F *et al*
PERSSON B *et al*
SELDÉN A *et al*
AXELSSON G, RYLANDER R, and MOLIN I: Outcome of pregnancy in relation to irregular and inconvenient work schedules, 393
Azocarbonamide, occupational asthma after exposure to, four cases, 60

B

Back pain, full-time United States workers, 651
Bakery, British, flour sensitisation, respiratory symptoms, and lung function, 636
BALDO B A *see* KAUFMAN G L *et al*
BANKS H A *see* STOLLERY B T *et al*
BARBERS R G and ABRAHAM J L: Asbestosis occurring after brief inhalational exposure: usefulness of bronchoalveolar lavage in diagnosis, 106
BARUTHIO F *see* MEYER-BISCH C *et al*
BASER M E, KENNEDY T P, DODSON R, RAWLINGS W, RAO N V, and HOIDAL J R: Differences in lung function and prevalence of pneumoconiosis between two kaolin plants, 773
BAST A *see* BORM P J A *et al*
BAXTER P J: Occupational bladder cancer and the hospital clinician: editorial, 73; correspondence, 750; correspondence reply 751
——DAVIES P C, and MURRAY V: Medical planning for toxic releases into the community: the example of chlorine gas, 277; correspondence 752
BÉGIN R and SÉBASTIEN P: Excessive accumulation of asbestos fibre in the bronchoalveolar space may be a marker of individual susceptibility to developing asbestosis: experimental evidence, 853
BELIN L *see* DONHAM K *et al*
BELLAS T E *see* KAUFMAN G L *et al*
Benzene, excretion of 1,2,4-benzenetriol in urine of workers exposed to, 559
——exposure, urinary t,t-muconic acid as indicator, 122
——leukaemia and occupational exposure, risk assessment, 826
BERG P *see* SELDÉN A *et al*
BERGAMASCHI E *see* MUTTI A *et al*
BERGERET A *see* NORMAND J-C *et al*

BERGQVIST U: Possible health effects of working with VDUs: editorial, 217

BERNARD A and LAUWERYS R: Cadmium, NAG activity, and beta$_2$-microglobulin in the urine of cadmium pigment workers: correspondence, 679

BERNARD A M *see* ROELS H A *et al*

BERODE M *see* DROZ P O *et al*

Beta adrenergic, and muscarinic receptor function, in vitro effect of toluene diisocyanate, lung tissue, rat, 56

Beta$_2$-microglobulin, cadmium, and NAG activity, urine levels, cadmium pigment workers, 52: correspondence, 679

BEZUIDENHOUT B N *see* SLUIS-CREMER G K and BEZUIDEN-HOUT B N

BHAGIA L J *see* PARIKH J R *et al*

Bile acid, serum, concentrations in workers exposed to low doses of toluene and xylene, 141

Birth weight for gestational age, and work in pregnancy, 196

BISCH C MEYER- *see* MEYER-BISCH C

Bladder cancer, occupational, and the hospital clinician: editorial, 73: correspondence 750

BLAIR A E *see* MILLER B A *et al*

BLASCHKE E *see* EKLUND A *et al*

Blood flow, maximal cutaneous, in vibration white fingers, 892

BOILLAT M A *see* HOTZ P *et al*

BOLM-AUDORFF U *see* KNECHT U *et al*

BOLTON R E *see* DONALDSON K *et al*

BOND G G *see* BRENNER F E *et al*

BOORDER T DE *see* DE BOORDER T

BORM P J A, BAST A, and ZUIDERVELD O P: In vitro effect of toluene diisocyanate on beta adrenergic and muscarinic receptor function in lung tissue of the rat, 56

BOUVIER F, GÖTHE C-J and LINDBLAD L-E: Maximal cutaneous blood flow in vibration white fingers, 892

BOYD G *see* ANDERSON K *et al*

BOYLAND E: Water could reduce the hazard of cancer from spirits, 423

BRAGE H N *see* PERSSON B *et al*

Brake mechanic, pleural mesothelioma, 69

BRANDT-RAUF P W: Ethical conflict in the practice of occupational medicine, 63

——COSMAN B, FALLON L F, TARANTINI T, and IDEMA C: Health hazards of fire fighters: acute pulmonary effects after toxic exposures, 209

BRECCIAROLI R *see* ABBATE C *et al*

BRENNER F E, BOND G G, MCLAREN E A, GREENE S, and COOK R R: Morbidity among employees engaged in the manufacture or formulation of chlorpyrifos, 133

BROADBENT D E *see* STOLLERY B T *et al*

Bronchial cancer and asbestosis, relation between, amphibole asbestos miners, 537

Bronchitis, chronic, and lung dysfunction determinants gold miners, Western Australia: correspondence, 143

Bronchoalveolar, asbestos fibre content as marker of asbestosis susceptibility, 853

——lavage in investigation of sulphur dioxide exposure, 200

—— ——useful in asbestosis diagnosis after brief inhalational exposure, 106

—— ——fluid, findings in non-smoking aluminium potroom workers, 782

BROOKE W E, HOWE W, and SMITH A E: Occupational bladder cancer and the hospital clinician: correspondence, 750

BROWN D M *see* DONALDSON K *et al*
SZYMANIEC S *et al*

BROWN G M and DONALDSON K: Inflammatory responses in lungs of rats inhaling coalmine dust: enhanced proteolysis of fibronectin by bronchoalveolar leukocytes, 866

——*see also* DONALDSON K *et al*

BUCHET J P *see* ROELS H A *et al*

BUIATTI E *see* COSTANTINI A S *et al*

Byssinosis prevalence, textile mills, Ahmedabad, India, 787

C

Cable manufacturing company, oil exposed workers, cytogenetic and haematological investigation, Norway, 791

Cadmium, high urinary concentration in gastric cancer: correspondence, 288

——induced renal dysfunction, health significance, five year follow up, 755

——low levels, renal tubular function of workers exposed to, 165

——NAG activity, and beta$_2$-microglobulin, urine levels, cadmium pigment workers, 52: correspondence, 679

——workers and nephropathy, risk assessment from airborne occupational exposure, 689

CAI S-X *see* INOUE O *et al*

Cancer and alcoholic spirits, water to reduce hazard, 423

——incidence in cohort of magnesium production workers, 617

—— ——disability, and mortality among painters and electricians, Geneva, historical prospective study, 16

—— ——and mortality, asbestos cement industry, Denmark, 90

—— —— ——smelter workers, Sweden, 82

——mortality, asphalt industry, ten year follow up of occupational cohort, 582

—— ——and other patterns, furniture workers, United States, 508

—— ——and occupational exposure to crocidolite, Western Australia, 529

—— ——rubber workers, northern Italian cohort, 624

—— ——steel foundry workers, United Kingdom, 1946–85, 74

—— ——tanning industry, Tuscany, 524

——risk, pesticide applicators, agriculture, Sweden, 809

—— ——from tar bitumen in road works, 24

——and water contaminated by DBCP, 521

CANDIANO G *see* MUTTI A *et al*

CAPOTORTO J *see* HUNCHAREK M *et al*

CAPOTORTO J V *see* HUNCHAREK M *et al*

Carborundum *see* Silicon carbide

CARDIS E *see* HOURS M *et al*

Carpal tunnel syndrome (CTS), exposure to vibration, repetitive wrist movements, and heavy manual work, 43

CARTON B *see* MEYER-BISCH C *et al*

CASE B *see* SEBASTIEN P *et al*

CATHCART M *see* SORAHAN T and CATHCART M

Caulker/burners and shipyard welders, respiratory symptoms and impairment, 292

CHAUVET J P *see* GARNIER R *et al*

Chemical plant, increased concentrations of haemoglobin X and Y in erythrocytes of workers, Japan, 502

Chemicals, exposure, and multiple sclerosis, 417

CHEN J-S *see* WANG J-D *et al*

CHERRY N M *see* MCDONALD A D *et al*

CHIA K S, ONG C N, ONG H Y and ENDO G: Renal tubular function of workers exposed to low levels of cadmium, 165

CHIANG J-R *see* WANG J-D *et al*

CHILVERS C *see* FRASER P *et al*

Chimney sweeping, polycyclic aromatic hydrocarbons atmospheric concentrations during, 479

China clay workers, south west England, chest radiograph and other tests, 261

China, Yunnan Province, arsenic exposure, relation to lung cancer, tin miners, 881

CHLADZYNSKA M *see* SZYMANIEC S *et al*

Chlor-alkali workers subjected to low long term exposure to mercury vapour, EEG findings, 370

Chlorine gas, medical planning for toxic releases into community, 277: correspondence, 752

Chlorpyrifos, morbidity among employees engaged in manufacture or formulation, 133

CHOI B C K *see* ZHANG Z-F *et al*

Chromium exposure, hair chromium as index, tannery workers, 171

Chrysotile *see also* Mineral fibres

CLAPP D E *see* RATCLIFFE J M *et al*

Coalmine dust, inhalation, and enhanced neutral protease activity, 866

Coalminers, British, progressive massive fibrosis, factors associated with development, case-control study, 597

——and dyspepsia, and general population, comparative study, 428

COGGON D, PANNETT B, PIPPARD E C and WINTER P D: Lung cancer in the meat industry, 188

——*see* GARDNER M J *et al*

Cognitive functioning, lead workers, 698

Cohort studies, calculating mortality: correspondence, 72

—— ——retrospective, influence of design characteristics on out-

come: correspondence, 431, 591
COLLINS H P R *see* MACLAREN W M *et al*
Computed tomography, role in evaluating asbestos related lung disease, 777
Confounding from smoking in occupational epidemiology: editorial, 505
Control of Substances Hazardous to Health (COSHH) and the National Health Service: editorial, 753
COOK R R *see* BRENNER F E *et al*
COOKE M A *see* SORAHAN T *et al*
SORAHAN T and COOKE M A
COOKSON W O C *see* DE KLERK N H *et al*
Correction, 216
COSMAN B *see* BRANDT-RAUF P W *et al*
COSTA G, MERLETTI F, and SEGNAN N: A mortality cohort study in a north Italian aircraft factory, 738
COSTANTINI A S, PACI E, MILIGI L, BUIATTI E, MARTELLI C, and LENZI S: Cancer mortality among workers in the Tuscan tanning industry, 384
COTES J E, FEINMANN E L, MALE V J, RENNIE F S, and WICKHAM C A C: Respiratory symptoms and impairment in shipyard welders and caulker/burners, 292
Cotton grown in hot, humid environments, endotoxin concentrations, factors influencing, 887
COWIE A J *see* MACLAREN W M *et al*
COWIE R L: Pulmonary dysfunction in gold miners with reactive airways, 873
COX G V: Influence of design characteristics on the outcome of retrospective cohort studies: correspondence, 431
COX M *see* WALDRON H A and COX M
CREMER G K SLUIS *see* SLUIS-CREMER G K
Crocidolite, occupational exposure and cancer mortality, Western Australia, 529
——pleural thickening after exposure to, natural history, 461
CROOK B *see* MUSK A W *et al*
CROOK G D W *see* MUSK A W *et al*
CUMBERLAND W G *see* DROZ P O *et al*
CUNNIFFE J G *see* HAY P E *et al*

D

DACIE J E *see* LOZEWICZ S *et al*
DAHLANDER A-M *see* PERSSON B *et al*
DANILOVS J A *see* KREISS K *et al*
DARBYSHIRE J H *see* MUSK A W *et al*
DAVEZIES P *see* NORMAND J-C *et al*
DAVID N J, WOLMAN R, MILNE F J, and VAN NIEKERK I: Acute renal failure due to trichloroethylene poisoning, 347
DAVIES B H *see* RAJAN K G and DAVIES B H
DAVIES P C *see* BAXTER P J *et al*
DAVIES R J *see* LOZEWICZ S *et al*
DAVIES J M G *see* DONALDSON K *et al*
DAY M *see* FRASER P *et al*
DBCP *see* Dibromochloropropane
DE BOORDER T *see* VAN VLIET C *et al*
DE KLERK N H, ARMSTRONG B K, MUSK A W, and HOBBS M S T: Cancer mortality in relation to measures of occupational exposure to crocidolite at Wittenoom Gorge in Western Australia, 529
——COOKSON W O C, MUSK A W, ARMSTRONG B K, and GLANCY J J: Natural history of pleural thickening after exposure to crocidolite, 461
DECARLI A *see* NEGRI E *et al*
DELUCCA A J and SHAFFER G P: Factors influencing endotoxin concentrations on cotton grown in hot, humid environments: a two year study, 887
Dental staff, pituitary glands, relation between mercury and selenium: correspondence, 751
——technicians, methyl methacrylate percutaneous absorption, 356
Dermatosis from resorcinal, tyre makers, 212
Design characteristics influence on outcome of retrospective cohort studies: correspondence, 591
Dibromochloropropane in drinking water, related to cancer and leukaemia, 521
DICH J *see* WIKLUND K *et al*
DICK R B, SETZER J V, TAYLOR B J, and SHUKLA R: Neurobehavioural effects of short duration exposures to acetone and methyl ethyl ketone, 111
DIEM J E *see* JONES R N *et al*
Disability, mortality, and cancer incidence among painters and electricians, Geneva, historical prospective study, 16
Diurnal variation in peak expiratory flow rate, grain elevator workers, 566
Dodecylbenzene, carcinogenicity and tumorigenicity, hairless mice, 608
DODSON R *see* BASER M E *et al*
DONALDSON K, BROWN G M, BROWN D M, BOLTON R E and DAVIS J M G: Inflammation generating potential of long and short fibre amosite asbestos samples, 271
——*see also* BROWN G M and DONALDSON K
SZYMANIEC S *et al*
DONHAM K, HAGLIND P, PETERSON Y, RYLANDER R, and BELIN L: Environmental and health studies of farm workers in Swedish swine confinement buildings, 31
DOUGLAS A J *see* SITAS F *et al*
DROZ P O, WU M M, CUMBERLAND W G, and BERODE M: Variability in biological monitoring of solvent exposure. I Development of a population physiological model, 447: II Application of a population physiological model, 547
DUNNIGAN J: Comparing biological effects of mineral fibres: editorial, 681
Dust exposure, occupational, and chronic lung disease: correspondence, 432
—— organic, toxic syndrome among farmers, 233
Dyspepsia, coalminers, and general population, comparative study, 428

E

ECHEVERRIA D, FINE L, LANGOLF G, SCHORK A, and SAMPAIO C: Acute neurobehavioural effects of toluene, 483
EFTHYMIOU M L *see* GARNIER R *et al*
EISEN E A *see* HENNEBERGER P K *et al*
EKBERG K *see* FLODIN U *et al*
EKENVALL L, GEMNE G, and TEGNER R: Correspondence between neurological symptoms and outcome of quantitative sensory testing in the hand-arm vibration syndrome, 570
EKLUND A, ARNS R, BLASCHKE E, HED J, HJERTQUIST S-O, LARSSON K, LÖWGREN H, NYSTRÖM J, SKÖLD C M, and TORNLING G: Characteristics of alveolar cells and soluble components in bronchoalveolar lavage fluid from non-smoking aluminuim potroom workers, 782
EKLUND G *see* WIKLUND K *et al*
Electricians, disability, mortality, and cancer incidence, Geneva, historical prospective study, 16
Electromagnetic fields, acute effects, linesmen working with 400 kV power lines, 729
Emergency planning for toxic gas releases, 277: correspondence, 752
ENDO G *see* CHIA K S *et al*
ENEROTH P *see* GAMBERALE F *et al*
Entomological research centre, occupational allergy. I Clinical aspects of reactions to sheep blowfly *Lucilia cuprina*, 473
Endotoxin concentrations on cotton grown in hot, humid environments, factors influencing, 887
——levels in farming, absence of symptoms despite high exposure levels, 412
Ethical conflict in practice of occupational medicine, 63
Ethoxyethanol 2, semen quality, workers exposed to, 399
Ethylene oxide, workers exposed to, follow up study, 860

F

FABRY J *see* HOURS M *et al*
FALLON L F *see* BRANDT-RAUF P W *et al*
FÄRKKILÄ M *see* PYYKKÖ I *et al*
Farm workers, swine, environmental and health studies, Sweden, 31
Farmers, and organic dust toxic syndrome, 233
Farming, endotoxin levels, absence of symptoms despite high exposure levels, 412

FARRER N *see* MUSK A W *et al*
Fathers' occupation and pregnancy outcome, 329
FEINMANN E L *see* COTES J E *et al*
FERIOLI A *see* APOSTOLI P *et al*
FERRARI S *see* APOSTOLI P *et al*
FERRIS B G *see* HENNEBERGER P K *et al*
Fertiliser manufacturers, mortality, census based study, 38
Fibre content of lung and disease, asbestos factory workers, east London: correspondence, 358
Fibres, mineral *see* Mineral fibres
Fibrosis, progressive massive, British coalminers, factors associated with development, case-control study, 597
FINE L *see* ECHEVERRIA D *et al*
Finger transitory postural vasomotor dysfunction, after short term hand vibration, 575
Firefighters, health hazards, acute pulmonary effects after toxic exposures, 209
FLEMING L E *see* SHALAT S L *et al*
FLODIN U, EKBERG K, and ANDERSSON L: Neuropsychiatric effects of low exposure to styrene, 805
Flour sensitisation, respiratory symptoms and lung function, British bakery, 636
FORASTIERE F, LAGORIO S, MICHELOZZI P, PERUCCI C A, and AXELSON O: Mortality pattern of silicotic subjects in the Latium region, Italy, 877
Forestry workers, risk factors in genesis of sensorineural hearing loss, Finland, 439
Formaldehyde exposure, and pulmonary function, histology technicians and women compared, 468
FRANCE A J *see* HAY P E *et al*
FRANCHINI I *see* MUTTI A *et al*
FRANCO G, SANTAGOSTINO G, LORENA M, and IMBRIANI M: Conjugated serum bile acid concentrations in workers exposed to low doses of toluene and xylene, 141
FRASER P, CHILVERS C, DAY M, and GOLDBLATT P: Further results from a census based mortality study of fertiliser manufacturers, 38
FRAUMENI J F *see* MILLER B A *et al*
FREDRIKSSON M *see* PERSSON B *et al*
FREED D *see* KANDEL E and FREED D
Friction materials, mortality study of workers manufacturing, 1941–86, 176
Furniture workers, cancer and other mortality patterns, United States, 508

G

GALE N *see* KAMBIČ V *et al*
GAMBERALE F, OLSON B A, ENEROTH P, LINDH T, and WENNEBERG A: Acute effects of ELF electromagnetic fields: a field study of linesmen working with 400 kV power lines, 729
GANAY A *see* NORMAND J-C *et al*
GANDEVIA B H *see* KAUFMAN G L *et al*
GARDNER M J: Calculating expected numbers of deaths in cohort studies: correspondence, 72
——COGGON D, PANNETT B, and HARRIS E C: Workers exposed to ethylene oxide: a follow up study, 860
GARNIER R, ROSENBERG N, PUISSANT J M, CHAUVET J P, and EFTHYMIOU M L: Tetrahydrofuran poisoning after occupational exposure, 677
Gastric cancer, high urinary cadmium concentration: correspondence, 288
GEMNE G *see* EKENVALL L *et al*
Geneva, disability, mortality, and cancer incidence among painters and electricians, historical prospective study, 16
GERMANO D *see* ABBATE C *et al*
GHIGGERI G M *see* MUTTI A *et al*
GIBSON R S *see* RANDALL J A and GIBSON R S
GLANCY J J *see* DE KLERK N H *et al*
Glial fibrillary acidic protein in long term neurotoxicity of styrene, 316
GLINDMEYER H W *see* JONES R N *et al*
Glomerulonephritis, crescenteric in sandblaster with silicosis, 675
GLUECK C J *see* AW T C *et al*
Gold miners, chronic bronchitis, and lung dysfunction determinants, Western Australia: correspondence, 143
—— ——with reactive airways, pulmonary dysfunction, 873
GOLDBLATT P *see* FRASER P *et al*
GOLLINS W J F: Occupational asthma due to tylosan tartrate: correspondence, 894
GORDON D J *see* MUSK A W *et al*
GORDON N *see* WONG O *et al*
GÖTHE C-J *see* BOUVIER F *et al*
GÖTHE C-J *see* WIESLANDER G *et al*
Grain elevator workers, diurnal variation in peak expiratory flow rate, 566
GRANEEK B J *see* MUSK A W *et al*
GRANGE F *see* NORMAND J-C *et al*
GRAY C N *see* HARRINGTON J M *et al*
GRAY J A *see* HAY P E *et al*
GREAVES I A *see* OSTERMAN J W *et al*
GREENE S *see* BRENNER F E *et al*
GUBÉRAN E, ISAEL M, RAYMOND L, TISSOT R, and SWEETNAM P M: Disability, mortality, and incidence of cancer among Geneva painters and electricians: a historical prospective study, 16

H

Haem synthesis, vanadium induced impairment, 744
Haemoglobin X and Y, increased concentrations, in erythrocytes of chemical plant workers, Japan, 502
HAGLID K G *see* ROSENGREN L E and HAGLID K G
HAGLIND P *see* DONHAM K *et al*
Hair chromium as index of chromium exposure, tannery workers, 171
HALPERIN W *see* THUN M J *et al*
HALPERIN W E *see* RATCLIFFE J M *et al*
HAMMAD Y Y *see* JONES R N *et al*
HAMMOND S K *see* OSTERMAN J W *et al*
Hand vibration, short term, finger transitory postural vasomotor dysfunction after, 575
——arm vibration syndrome, neurological symptoms and sensory testing, 570
HANNON W H *see* THUN M J *et al*
HANSEN E S: Cancer mortality in the asphalt industry: a ten year follow up of an occupational cohort, 582
HANSEN G *see* MISSENARD C *et al*
HANSON B S *see* ÅSTRAND N-E *et al*
HANSTEEN I-L *see* SKYBERG K *et al*
Hard metal workers, respiratory hazards, cross sectional study, 302
HARLEY R *see* SEBASTIEN P *et al*
HARRINGTON J M, WHITBY H, GRAY C N, REID F J, AW T C, and WATERHOUSE J A: Renal disease and occupational exposure to organic solvents: a case referent approach, 643
HARRIS E C *see* GARDNER M J *et al*
HARRISON J D and MORRIS D L: Dyspepsia in coalminers and the general population: a comparative study, 428
HATA H *see* NAGAYA T *et al*
HAWKINS R *see* MUSK A W *et al*
HAY P E, CUNNIFFE J G, KRAMER G, FRANCE A J, GRAY J A, and WATT B: Two cases of *Streptococcus suis* meningitis, 352
Health protection and promotion at work, 683
Hearing loss, sensorineural, risk factors in the genesis, Finnish workers, 439
HED J *see* EKLUND A *et al*
HEDMAN B KOLMODIN- *see* KOLMODIN-HEDMAN B
HELDAAS S S, LANGÅRD S, and ANDERSEN A: Incidence of cancer in a cohort of magnesium production workers, 617
HENNEBERGER P K, EISEN E A, and FERRIS B G: Pulmonary function among pulp and paper workers in Berlin, New Hampshire, 765
——FERRIS B G, and MONSON R R: Mortality among pulp and paper workers in Berlin, New Hampshire, 658
Hepatocellular carcinoma and exposure to hexachlorobenzene: case report, 138
HERDMAN M *see* LOZEWICZ S *et al*
HERNANDEZ C *see* NORMAND J-C *et al*
Hexachlorobenzene exposure, and hepatocellular carcinoma: case report, 138
Hexavalent chromium, sister chromatid exchange analysis in lymphocytes of exposed workers, 48
Histocompatibility antigens in population based silicosis series, 364
HJERTQUIST S-O *see* EKLUND A *et al*
HNIZDO E *see* SLUIS-CREMER G K and HNIZDO E

Ho S T and Yu H S: Ultrastructural changes of the peripheral nerve induced by vibration: an experimental study, 157
Hobbs M S T *see* de Klerk N H *et al*
Hoidal J R *see* Baser M E *et al*
Holm L-E *see* Wiklund K *et al*
Holman C D'A J and Psaila-Savona P: Determinants of chronic bronchitis and lung dysfunction in Western Australian gold miners: correspondence, 143
Honda R *see* Kido T *et al*
Hornung R W *see* Ratcliffe J M *et al*
Hotz P, Pilliod J, Söderström D, Rey F, Boillat M A, and Savolainen H: Relation between renal function tests and a retrospective organic solvent exposure score, 815
Hours M, Cardis E, Marciniak A, Quelin P, and Fabry J: Mortality of a cohort in a polyamide-polyester factory in Lyon: a further follow up, 665
Howe W *see* Brooke W E *et al*
Huang C-C *see* Wang J-D *et al*
Hughes J M *see* Jones R N *et al*
Humidifier fever, climate and intermittent humidification, 671
Huncharek M, Capotorto J V, and Muscat J: Domestic asbestos exposure, lung fibre burden, and pleural mesothelioma in a housewife, 354
Huncharek M, Muscat J, and Capotorto J V: Pleural mesothelioma in a brake mechanic, 69
—— —— ——Pleural mesothelioma in a lift mechanic, 500
Hurley J F *see* MacLaren W M *et al*
Hwang Y-H *see* Wang J-D *et al*
Hydrogen sulphide keratoconjunctivitis, unrecognised form, 748
Hydroxyl radical mediated DNA base modification by manmade mineral fibres, 435
Hypersensitivity, and direct toxicity of acid anhydrides, 222

I

Idema C *see* Brandt-Rauf P W *et al*
Ikeda M *see* Inoue O *et al*
Ikeda T *see* Kishi R *et al*
Imbriani M *see* Franco G *et al*
Inaba R *see* Pyykkö I *et al*
Incinerators, air pollution, twinning in human populations and cattle exposed to: correspondence, 215
India, byssinosis prevalence, textile mills, 787
Industrial solvents, long term exposure: correspondence, 750
Inflammation generating potential of long and short fibre amosite asbestos samples, 271
Inhalation experiments, respiratory input, 145
Inoue O, Seiji K, Nakatsuka H, Watanabe T, Yin S-N, Li G-L, Cai S-X, Jin C, and Ikeda M: Excretion of 1,2,4-benzenetriol in the urine of workers exposed to benzene, 559: Urinary t,t-muconic acid as an indicator of exposure to benzene, 122
Interstitial pneumonitis, and reversible airways obstruction due to acetic acid, 67
Iron moulders, respiratory disease mortality patterns, South Africa, 310
Isaksson S-O *see* Åstrand N-E *et al*
Ishikawa N *see* Nagaya T *et al*
Ishizaki M *see* Kido T *et al*
Iversen O H: Studies of the carcinogenesis and tumorigenesis of skin applications of dodecylbenzene on hairless mice, 608

J

Jackson J R: Medical planning for toxic releases into the community: the example of chlorine gas: correspondence, 752
Jacobsson G *see* Seldén A *et al*
Jankowska E *see* Szymaniec S *et al*
Järvholm B *see* Thorén K *et al*
Jelmert Ø *see* Skyberg K *et al*
Jin C *see* Inoue O *et al*
Job factors, and social network factors predicting mortality, pulp and paper company, Sweden, 334
Johnson D A *see* Musk A W *et al*
Jones P W: Twinning in human populations and in cattle exposed to air pollution from incinerators: correspondence, 215
Jones R N, Diem J E, Hughes J M, Hammad Y Y, Glindmeyer H W, and Weill H: Progression of asbestos effects: a prospective longitudinal study of chest radiographs and lung function, 97
Jørgensen P *see* Sherson D and Jørgensen F
Juel K *see* Raffn E *et al*
Juhlin L *see* Wieslander G *et al*
Juntunen J, Kinnunen E, Antti-Poika M, and Koskenvuo M: Multiple sclerosis and occupational exposure to chemicals: a co-twin control study of a nationwide series of twins, 417

K

Kaldor J *see* Negri E *et al*
Kambič V, Radšel Z, and Gale N: Alterations in the laryngeal mucosa after exposure to asbestos, 717
Kandel E and Freed D: Long term exposure to industrial solvents: correspondence, 750
Kaolin plants, two, pneumoconiosis prevalence, and lung function, differences between, 773
Kashyap S K *see* Parikh J R *et al*
Katakura Y *see* Kishi R *et al*
Kaufman G L, Gandevia B H, Bellas T E, Tovey E R, and Baldo B A: Occupational allergy in an entomological research centre. I Clinical aspects of reactions to the sheep blowfly *Lucilia cuprina*, 473
Kawada T, Koyama H, and Suzuki S: Cadmium, NAG activity, and beta$_2$-microglobulin in the urine of cadmium pigment workers, 52: correspondence reply 679
Kaye S B *see* Luck J and Kaye S B
Kennedy T P *see* Baser M E *et al*
Keratoconjunctivitis, hydrogen sulphide, unrecognised form, 748
Kessel R, Redl M, Mauermayer R, and Praml G J: Changes in lung function after working with the shotcrete lining method under compressed air conditions, 128
Kheifets L *see* Wong O *et al*
Kidney cancer, utility workers exposed to polychlorinated biphenyls (PCBs), 823
Kido T, Honda R, Tsuritani I, Ishizaki M, Yamada Y, and Nogawa K: High urinary cadmium concentration in a case of gastric cancer: correspondence, 288
Kilburn K H, Warshaw R, and Thornton J C: Pulmonary function in histology technicians compared with women from Michigan: effects of chronic low dose formaldehyde on a national sample of women, 468
Kilpatrick D J: Pleural mesothelioma in a lift mechanic: correspondence, 894
Kinetics, variability, poorly and highly metabolising solvent, 831
Kinnunen E *see* Juntunen J *et al*
Kishi R, Katakura Y, Okui T, Ogawa H, Ikeda T, and Miyake H: Placental transfer and tissue distribution of ^{14}C-styrene: an autoradiographic study in mice, 376
Klerk N H de *see* de Klerk N H
Knecht U, Bolm-Audorff U, and Woitowitz H-J: Atmospheric concentrations of polycyclic aromatic hydrocarbons during chimney sweeping, 479
——and Woitowitz H-J: Risk of cancer from the use of tar bitumen in road works, 24
Knoops B *see* Lison D *et al*
Koizumi A: Potential of physiologically based pharmacokinetics to amalgamate kinetic data of trichloroethylene and tetrachloroethylene obtained in rats and man, 239
Kolmodin-Hedman B *see* Sandström T *et al*
Korsgaard B *see* Raffn E *et al*
Koskenvuo M *see* Juntunen J *et al*
Koskimies K *see* Pyykkö I *et al*
Koyama H *see* Kawada T *et al*
Kramer G *see* Hay P E *et al*
Kreiss K, Danilovs J A and Newman L S: Histocompatibility antigens in a population based silicosis series, 364
Kremer A *see* Missenard C *et al*
Kutter D *see* Missenard C *et al*

L

La Vecchia C *see* Negri E *et al*
Lagorio S *see* Forastiere F *et al*
Landrigan P J: Toxicity of lead at low dose: editorial, 593
Landgård S *see* Heldaas S S *et al*

LANGOLF G *see* ECHEVERRIA D *et al*
LARSSON K *see* EKLUND A *et al*
Laryngeal mucosa alterations after asbestos exposure, 717
LAUWERYS R *see* BERNARD A and LAUWERYS R LISON D *et al*
LAUWERYS R R *see* ROELS H A *et al*
Lead toxicity at low dose: editorial, 593
——workers, cognitive functioning, 698
—— ——and steroid hormone sulphation, 204
LEANDERSON P, SÖDERKVIST P, and TAGESSON C: Hydroxyl radical mediated DNA base modification by manmade mineral fibres, 435
LEE C S *see* LEE H S *et al*
LEE H S, WANG Y T, YEO C T, TAN K T, and RATNAM K V: Occupational asthma due to tylosin tartrate, 498
——YAP J, WANG Y T, LEE C S, TAN K T, and POH S C: Occupational asthma due to unheated polyvinyl-chloride resin dust, 820
LEE W R *see* STOLLERY B T *et al*
LEHRL S *see* TRIEBIG G *et al*
LEIGH J P and SHEETZ R M: Prevalence of back pain among fulltime United States workers, 651
LENZI S *see* COSTANTINI A S *et al*
Leukaemia and occupational exposure to benzene, risk assessment, 826
——and water contaminated by DBCP, 521
LEWIS B *see* THUN M J *et al*
LEWIS C *see* ANDERSON K *et al*
LEWIS J and MORGAN W K C: Tea asthma: response to specific and non-specific challenges, 350
LI G-L *see* INOUE O *et al*
LI J-Y *see* TAYLOR P R *et al*
LI W-X *see* ZHANG Z-F *et al*
Lift mechanic, pleural mesothelioma, 500: correspondence, 894
LIN J-M *see* WANG J-D *et al*
LINDBLAD L-E *see* BOUVIER F *et al*
LINDH T *see* GAMBERALE F *et al*
LISON D, KNOOPS B, and LAUWERYS R: Effect of retinoic acid on asbestos induced plasminogen activator activity of peritoneal macrophages, 496
LLOYD O L: Twinning in human populations and in cattle exposed to air pollution from incinerators; correspondence reply, 215
LORENA M *see* FRANCO G *et al*
LOSEWICZ S, REZNEK R H, HERDMAN M, DACIE J E, MCLEAN A, and DAVIES R J: Role of computed tomography in evaluating asbestos related lung disease, 777
Lower molecular weight chemicals, hypersensitivity, and direct toxicity, acid anhydrides, 222
LÖWGREN H *see* EKLUND A *et al*
LUBIN J *see* TAYLOR P R *et al*
LUCK J and KAYE S B: An unrecognised form of hydrogen sulphide keratoconjunctivitis, 748
LUNDGREN R *see* SANDSTRÖM T *et al*
LUNDHOLM M *see* RASK-ANDERSEN A *et al*
Lung cancer in meat industry, 188
—— ——mortality, in factory manufacturing chlorinated toluenes, 1961–84, 425
—— ——pulmonary fibrosis in asbestos insulation workers with: correspondence, 430
—— ——relation to arsenic exposure, tin miners, Yunnan Province, China, 881
—— ——silica, and silicosis: editorial, 289
—— ——smoking, and occupational exposure to rubber, 12
——disease, and occupational dust exposure: correspondence, 432
——fibre burden, pleural mesothelioma, and domestic asbestos exposure, in housewife, 354
—— —— ——and disease, asbestos factory workers, east London: correspondence, 358
——function changes after working with shotcrete lining method under compressed air conditions, 128
LUNN J A: The sick doctor: editorial, 825
Lymphomas, malignant, and occupational exposures, 516
LYNGE E *see* RAFFN E *et al*
Lyon, polyamide-polyester factory mortality, cohort follow up, 665

M

MCADAMS M *see* TAYLOR P R *et al*
MCDONALD A D, MCDONALD J C, ARMSTRONG B, CHERRY N M, NOLIN A D, and ROBERT D: Fathers' occupation and pregnancy outcome, 329
MCDONALD A D *see also* ARMSTRONG B G *et al* SEBASTIEN P *et al*
MCDONALD J C: Silica, silicosis, and lung cancer: editorial, 289
MCDONALD J C *see* MCDONALD A D *et al* SEBASTIEN P *et al*
MACKAY D *see* PATERSON S and MACKAY D
MCLAREN E A *see* BRENNER F E *et al*
MACLAREN W M, HURLEY J F, COLLINS H P R, and COWIE A J: Factors associated with the development of progressive massive fibrosis in British coalminers: a case-control study, 597
MCLEAN A *see* LOZEWICZ S *et al*
MCNAMEE R: Outcome of retrospective cohort studies and study size: a publication bias?: correspondence, 143
Macrophages, peritoneal, effect of retinoic acid on asbestos induced plasminogen activator activity, 496
MCSHARRY C P *see* ANDERSON K *et al*
Magnesium production workers, cancer incidence, 617
MAJUMDAR P K *see* PARIKH J R *et al*
MALE V J *see* COTES J E *et al*
MALMBERG P *see* RASK-ANDERSEN A *et al*
Manganese induced parkinsonism, outbreak due to unrepaired ventilation control system in ferromanganese smelter, 856
Manmade mineral fibres, hydroxyl radical mediated DNA base modification by, 435
MAO B-L *see* TAYLOR P R *et al*
MARCINIAK A *see* HOURS M *et al*
MARTELLI C *see* COSTANTINI A S *et al*
MASSIN N *see* MEYER-BISCH C *et al*
MAUERMAYER R *see* KESSEL R *et al*
Meat industry, and lung cancer, 188
MEIJERS J M M *see* SWAEN G M H and MEIJERS J M M VAN VLIET C *et al*
Meningitis, *Streptococcus suis*, two cases, 352
Mercury and selenium in dental staff pituitary glands, relation between: correspondence, 751
——vapour, low long term exposure, chlor-alkali workers subjected to, EEG findings, 370
MERLETTI F *see* COSTA G *et al*
Mesothelioma, pleural, in brake mechanic, 69
—— ——domestic asbestos exposure, and lung fibre burden, in housewife, 354
—— ——in lift mechanic, 500: correspondence, 894
Metal workers, water restriction and water loading, effects on daily urinary excretion, 389
Methyl ethyl ketone, and acetone, neurobehavioural effects of short duration exposure, 111
——methacrylate percutaneous absorption, dental technicians, 356
MEYER-BISCH C, PHAM Q T, MUR J-M, MASSIN N, MOULIN J-J, TECULESCU D, CARTON B, PIERRE F, and BARUTHIO F:Respiratory hazards in hard metal workers: a cross sectional study, 302
MICHELOZZI P *see* FORASTIERE F *et al*
MILIGI L *see* COSTANTINI A S *et al*
MILLER B A, BLAIR A E, RAYNOR H L, STEWART P A, ZAHM S H, and FRAUMENI J F: Cancer and other mortality patterns among United States furniture workers, 508
MILNE F J *see* DAVID N J *et al*
MINAMI M *see* TOMODA A *et al*
Mineral dust, pathogenic, antibody producing cells in mouse spleens treated with, 724
——fibres, comparing biological effects: editorial, 681
MISSENARD C, HANSEN G, KUTTER D, and KREMER A: Vanadium induced impairment of haem synthesis, 744
MIYAKE H *see* KISHI R *et al*
MOLIN I *see* AXELSSON G *et al*
MONSON R R *see* HENNEBERGER P K *et al*
MORGAN R W *see* WONG O *et al*
MORGAN U *see* THORÉN K *et al*
MORGAN W K C *see* LEWIS J and MORGAN W K C
MORRIS D L *see* HARRISON J D and MORRIS D L
Mortality, calculating, in cohort studies: correspondence, 72
——disability, and cancer incidence among painters and electricians, Geneva, historical prospective study, 16
——fertiliser manufacturers, census based study, 38

——in rubber industry, Britain, 1946–85, 1
MOULIN J-J *see* MEYER-BISCH C *et al*
MUIR D C F, STOCK S, SHANNON H S, and OXMAN A D: Chronic lung disease and occupational dust exposure: correspondence, 432
Multiple sclerosis and occupational exposure to chemicals, co-twin control study of nationwide series of twins, 417
MUR J-M *see* MEYER-BISCH C *et al*
MURRAY V *see* BAXTER P J *et al*
Muscarinic, and beta adrenergic receptor function, in vitro effect of toluene diisocyanate, lung tissue, rat, 56
MUSCAT J *see* HUNCHAREK M *et al*
MUSK A W, VENABLES K M, CROOK B, NUNN A J, HAWKINS R, CROOK G D W, GRANEEK B J, TEE R D, FARRER N, JOHNSON D A, GORDON D J, DARBYSHIRE J H, and TAYLOR A J N: Respiratory symptoms, lung function, and sensitisation to flour in a British bakery, 636
—— *see also* DE KLERK N H *et al*
MUTTI A, BERGAMASCHI E, GHIGGERI G M, RIGHETTI P G, SPAGGIARI M, ALINOVI R, CANDIANO G, and FRANCHINI I: What is measured by the alcian blue binding to red blood cells? 286

N

NAG activity, beta$_2$-microglobulin, and cadmium, urine levels, cadmium pigment workers, 52: correspondence, 679
NAGAYA T, ISHIKAWA N, and HATA H: Sister chromatid exchange analysis in lymphocytes of workers exposed to hexavalent chromium, 48
NAKATSUKA H *see* INOUE O *et al*
NEGRI E, PIOLATTO G, PIRA E, DECARLI A, KALDOR J, and LA VECCHIA C: Cancer mortality in a northern Italian cohort of rubber workers, 624
Nephropathy in cadmium workers, risk assessment from airborne occupational exposure, 689
Neuraesthenic symptoms, workers exposed to organic solvents, Holland, 586
Neurobehavioural effects of short duration exposures to acetone and methyl ethyl ketone, 111
Neutral protease activity, enhanced, and coalmine dust inhalation, 866
New Hampshire, pulmonary function, pulp and paper workers, 765
—— ——pulp and paper workers, mortality, 658
New Zealand, phenoxy herbicides and non-Hodgkin's lymphoma, frequency and duration of herbicide use: correspondence, 143
NEWHOUSE M L and SULLIVAN K R: A mortality study of workers manufacturing friction materials: 1941–86, 176
NEWMAN L S *see* KREISS K *et al*
NIEKERK I VAN *see* VAN NIEKERK I
NISE G, ATTEWELL R, SKERFVING S, and ØRBÆK P: Elimination of toluene from venous blood and adipose tissue after occupational exposure, 407
NOGAWA K *see* KIDO T *et al*
NOLIN A D *see* ARMSTRONG B G *et al*
McDONALD A D *et al*
Non-Hodgkin's lymphoma and phenoxy herbicides, frequency and duration of herbicide use, New Zealand: correspondence, 143
NORBÄCK D *see* WIESLANDER G *et al*
NORMAND J-C, GRANGE F, HERNANDEZ C, GANAY A, DAVEZIES P, BERGERET A, and PROST G: Occupational asthma after exposure to azodicarbonamide: report of four cases, 60
Notices, 72, 216, 359, 592, 680, 894
NUNN A J *see* MUSK A W *et al*
NUTT A *see* SORAHAN T *et al*
NYLANDER M and WEINER J: Relation between mercury and selenium in pituitary glands of dental staff: correspondence, 751
NYSTRÖM J *see* EKLUND A *et al*

O

Occupation, fathers' and pregnancy outcome, 329
Occupational health, undergraduate teaching: editorial, 433
——medicine, ethical conflict in practice, 63
OGAWA H *see* KISHI R *et al*
OGLE C J, RUNDLE E M, and SUGAR E T: China clay workers in the south west of England: analysis of chest radiograph readings, ventilatory capacity, and respiratory symptoms in relation to type and duration of occupation, 261
OHLSON C-G *see* PERSSON B *et al*
Oil exposed workers, cable manufacturing company, cytogenetic and haematological investigation, Norway, 791
OKUI T *see* KISHI R *et al*
OLSEN N, PETRING O U, and ROSSING N: Transitory postural vasomotor dysfunction in the finger after short term hand vibration, 575
OLSON B A *see* GAMBERALE F *et al*
ONG C N *see* CHIA K S *et al*
ONG H Y *see* CHIA K S *et al*
Opacities, irregular, progression, asbestos miners, 846
OPDAM J J G: Intra and interindividual variability in the kinetics of a poorly and highly metabolising solvent, 831
——Respiratory input in inhalation experiments, 145
——and SMOLDERS J F J: A method for the retrospective estimation of the individual respiratory intake of a highly and a poorly metabolising solvent during rest and physical exercise, 250
ØRBÆK P *see* NISE G *et al*
Organic dust toxic syndrome among farmers, 233
——solvent exposure score, retrospective, and renal function tests, relation between, 815
OSORIO A M *see* THUN M J *et al*
OSTERMAN J W, GREAVES I A, SMITH T J, HAMMOND S K, ROBINS J M, and THÉRIAULT G: Respiratory symptoms associated with low level sulphur dioxide exposure in silicon carbide production workers, 629: Work related decrement in pulmonary function in silicon carbide production workers, 708
OVERSTEYNS M *see* ROELS H A *et al*
OXMAN A D *see* MUIR D C F *et al*

P

PACE P E *see* SHALAT S L *et al*
PACI E *see* COSTANTINI A S *et al*
Painters, disability, mortality, and cancer incidence, Geneva, historical prospective study, 16
PANNETT B *see* COGGON D *et al*
GARDNER M J *et al*
Paper and pulp workers, mortality, Berlin, New Hampshire, 658
—— —— ——pulmonary function, Berlin, New Hampshire, 765
——mill, soft, asthma and chronic obstructive pulmonary disease mortality, 192
PARIKH J R, BHAGIA L J, MAJUMDAR P K, SHAH A R, and KASHYAP S K: Prevalence of byssinosis in textile mills at Ahmedabad, India, 787
PARKES H G *see* SORAHAN T *et al*
Parkinsonism, manganese induced, outbreak due to unrepaired ventilation control system in ferromanganese smelter, 856
Partition coefficients of volatile organic chemicals, 321
PASINI F *see* APOSTOLI P *et al*
PATERSON S and MACKAY D: Correlation of tissue, blood, and air partition coefficients of volatile organic chemicals, 321
Peak expiratory flow rate, diurnal variation, grain elevator workers, 566
PEARCE N: Phenoxy herbicides and non-Hodgkin's lymphoma in New Zealand: frequency and duration of herbicide use: correspondence, 143
PEKKARINEN J *see* PYYKKÖ I *et al*
Peripheral nerve induced by vibration, ultrastructural changes, an experimental study, 157
Peritoneal macrophages, effect of retinoic acid on asbestos induced plasminogen activator activity, 496
PERONI E *see* APOSTOLI P *et al*
PERSSON B, DAHLANDER A-M, FREDRIKSSON M, BRAGE H N, OHLSON C-G, and AXELSON O: Malignant lymphomas and occupational exposures, 516
PERUCCI C A *see* FORASTIERE F *et al*
Pesticide applicators, agriculture, cancer risk, Sweden, 809
PETERSON Y *see* DONHAM K *et al*
PETRING O U *see* OLSEN N *et al*
PFÄFFLI P *see* RAJANIEMI R *et al*
PHAM Q T *see* MEYER-BISCH C *et al*
Phenoxy herbicides and non-Hodgkin's lymphoma, frequency and duration of herbicide use, New Zealand: correspondence, 143
PIERRE F *see* MEYER-BISCH C *et al*
PIIKIVI L and TOLONEN U: EEG findings in chlor-alkali workers subjected to low long term exposure to mercury vapour, 370
PILLIOD J *see* HOTZ P *et al*

PIOLATTO G *see* NEGRI E *et al*
PIPPARD E C *see* COGGON D *et al*
PIRA E *see* NEGRI E *et al*
Pituitary glands, dental staff, relation between mercury and selenium: correspondence, 751
Placental transfer and tissue distribution of ^{14}C-styrene, mice, 376
Pleural thickening after exposure to crocidolite, natural history, 461
Pneumoconiosis, prevalence, and differences in lung function, between two kaolin plants, 773
POH S C *see* LEE H S *et al*
POIKA M ANTTI- *see* ANTTI-POIKA M
Poisoning, deaths from at work, United States, 541
POLIKOWSKA H *see* SZYMANIEC S *et al*
POLITO I *see* ABBATE C *et al*
Polyamide-polyester factory, mortality, Lyon, cohort follow up, 665
Polychlorinated biphenyls, (PCBs), kidney cancer, utility workers exposed to, 823
——hydrocarbons, and twinning: correspondence, 215
Polycyclic aromatic hydrocarbons atmospheric concentrations during chimney sweeping, 479
Polyvinylchloride resin dust, unheated, occupational cancer due to, 820
PRAML G J *see* KESSEL R *et al*
Pregnancy outcome, and fathers' occupation, 329
—— ——in relation to irregular and inconvenient work schedules, 393
——work during, and birth weight for gestational age, 196
Prenarcotic symptoms, workers exposed to organic solvents, Holland, 586
PROST G *see* NORMAND J-C *et al*
PSAILA-SAVONA P *see* HOLMAN C D'A J and PSAILA-SAVONA P
PUGLISI A *see* ABBATE C *et al*
PUISSANT J M *see* GARNIER R *et al*
Pulmonary disease, and asthma mortality, soft paper mill, 192
——dysfunction, gold miners with reactive airways, 873
——effects, acute, after toxic exposures, firefighters, 209
——fibrosis, asbestos insulation workers with lung cancer: correspondence, 430
——function among pulp and paper workers, Berlin, New Hampshire, 765
Pulp and paper company, job factors and social factors predicting mortality, Sweden, 334
—— —— ——pulmonary function, Berlin, New Hampshire, 765
—— —— ——mortality, Berlin, New Hampshire, 658
PYYKKÖ I, KOSKIMIES K, STARCK J, PEKKARINEN J, FÄRKKILÄ M, and INABA R: Risk factors in the genesis of sensorineural hearing loss in Finnish forestry workers, 439

Q

QIAO Y-L *see* TAYLOR P R *et al*
Quartz, and antibody producing cells in mouse spleens, 724
QUELIN P *see* HOURS M *et al*

R

RADŠEL Z *see* KAMBIČ V *et al*
RAFFN E, LYNGE E, JUEL K, and KORSGAARD B: Incidence of cancer and mortality among employees in the asbestos cement industry in Denmark, 90
RAJAN K G and DAVIES B H: Reversible airways obstruction and interstitial pneumonitis due to acetic acid, 67
RAJANIEMI R, PFÄFFLI P, and SAVOLAINEN H: Percutaneous absorption of methyl methacrylate by dental technicians, 356
RANDALL J A and GIBSON R S: Hair chromium as an index of chromium exposure of tannery workers, 171
RAO J-Y *see* TAYLOR P R *et al*
RAO N V *see* BASER M E *et al*
RASK-ANDERSEN A: Organic dust toxic syndrome among farmers, 233
——MALMBERG P, and LUNDHOLM M: Endotoxin levels in farming: absence of symptoms despite high exposure levels, 412
RATCLIFFE J M, SCHRADER S M, CLAPP D E, HALPERIN W E, TURNER T W, and HORNUNG R W: Semen quality in workers exposed to 2-ethoxyethanol, 399
RATNAM K V *see* LEE H S *et al*
RAUF P W BRANDT *see* BRANDT-RAUF P W
RAWLINGS W *see* BASER M E *et al*
RAYMOND L *see* GUBÉRAN E *et al*
RAYNOR H L *see* MILLER B A *et al*
REDL M *see* KESSEL R *et al*
REID F J *see* HARRINGTON J M *et al*
Renal disease and occupational exposure to organic solvents, case referent approach, 643
——dysfunction, cadmium induced, health significance, five year follow up, 755
——failure, acute, due to trichloroethylene poisoning, 347
——function tests and retrospective organic solvent exposure score, relation between, 815
——tubular function of workers exposed to low levels of cadmium, 165
RENNIE F S *see* COTES J E *et al*
Resorcinal and dermatosis, tyre makers, 212
Respiratory cancer, and chrysotile asbestos, 180
——disease mortality pattern, iron moulders, South Africa, 310
——hazards, hard metal workers, cross sectional study, 302
——input in inhalation experiments, 145
——intake, estimation, metabolising solvents, 250
——symptoms associated with low level sulphur dioxide exposure, silicon carbide production workers, 629
—— ——and impairment, shipyard welders and caulker/burners, 292
Retrospective cohort studies and study size, outcome: correspondence, 143
Reversible airways obstruction and interstitial pneumonitis due to acetic acid, 67
REVSBECH P and ANDERSEN G: Diurnal variation in peak expiratory flow rate among grain elevator workers, 566
REY F *see* HOTZ P *et al*
REZNEK R H *see* LOZEWICZ S *et al*
RIGHETTI P G *see* MUTTI A *et al*
ROBERT D *see* MCDONALD A D *et al*
ROBINS J M *see* OSTERMAN J W *et al*
ROELS H A, LAUWERYS R R, BUCHET J P, BERNARD A M, VOS A, and OVERSTEYNS M: Health significance of cadmium induced renal dysfunction: a five year follow up, 755
ROMEO L *see* APOSTOLI P *et al*
RØNNEBERG A *see* SKYBERG K *et al*
ROSENBERG N *see* GARNIER R *et al*
ROSENGREN L E and HAGLID K G: Long term neurotoxicity of styrene. A quantitative study of glial fibrillary acidic protein (GFA) and S-100, 316
ROSSING N *see* OLSEN N *et al*
Rubber industry mortality, Britain, 1946–85, 1
——occupational exposure, smoking, and lung cancer, 12
——workers, cancer mortality, northern Italian cohort, 624
RUDD R M: Correlation between fibre content of lung and disease in east London asbestos factory workers: correspondence, 358
RUNDLE E M *see* OGLE C J *et al*
RYLANDER R *see* AXELSSON G *et al*
DONHAM K *et al*

S

S-100 in long term neurotoxicity of styrene, 316
SAMPAIO C *see* ECHEVERRIA D *et al*
Sandblaster with silicosis, rapidly progressive crescenteric glomerulonephritis, 675
SANDSTRÖM A I M, WALL S G I, and TAUBE A: Cancer incidence and mortality among Swedish smelter workers, 82
SANDSTRÖM T, STJERNBERG N, ANDERSSON M-C, KOLMODIN-HEDMAN B, LUNDGREN R and ÅNGSTRÖM T: Is the short term limit value for sulphur dioxide exposure safe? Effects of controlled chamber exposure investigated with bronchoalveolar lavage, 200
SANTAGOSTINO G *see* FRANCO G *et al*
SAVOLAINEN H: New uses for old urine tests: editorial, 361
—— *see also* HOTZ P *et al*
RAJANIEMI R *et al*
SAVONA P PSAILA- *see* PSAILA-SAVONA P
SCHALLER K H *see* TRIEBIG G *et al*
SCHATZKIN A *see* TAYLOR P R *et al*
SCHILLING R S F: Health protection and promotion at work, 683
SCHOBER S *see* THUN M J *et al*
SCHORK A *see* ECHEVERRIA D *et al*
SCHRADER S M *see* RATCLIFFE J M *et al*
Scrotal cancer, incidence, 1971–84: correspondence, 430

SEBASTIEN P, MCDONALD J C, MCDONALD A D, CASE B and HARLEY R: Respiratory cancer in chrysotile textile and mining industries: exposure inferences from lung analysis, 180
—— *see also* BÉGIN R and SÉBASTIEN P
SEGNAN N *see* COSTA G *et al*
SEIJI K *see* INOUE O *et al*
SELDÉN A, JACOBSON G, BERG P, and AXELSON O: Hepatocellular carcinoma and exposure to hexachloro-benzene: a case report, 138
Selenium and mercury in dental staff pituitary glands, relation between: correspondence, 751
Semen quality, workers exposed to 2-ethoxyethanol, 399
SETZER J V *see* DICK R B *et al*
SHAFFER G P *see* DELUCCA A J and SHAFFER G P
SHAH A R *see* PARIKH J R *et al*
SHALAT S L, TRUE L D, FLEMING L E, and PACE P E: Kidney cancer in utility workers exposed to polychlorinated biphenyls (PCBs), 823
SHANNON H S *see* MUIR D C F *et al*
Sheep blowfly research, allergic reactions, 473
SHEETZ R M *see* LEIGH J P and SHEETZ R M
SHERSON D and JØRGENSEN F: Rapidly progressive crescenteric glomerulonephritis in a sandblaster with silicosis, 675
Shipyard welders and caulker/burners, respiratory symptoms and impairment, 292
Shotcrete lining method under compressed air conditions, lung function changes after working with, 128
SHUKLA R *see* DICK R B *et al*
Sick doctor: editorial, 825
Silica, silicosis, and lung cancer: editorial, 289
Silicon carbide production workers, respiratory symptoms associated with low level sulphur dioxide exposure, 629
—— —— —— ——work related decrement in pulmonary function, 708
Silicosis, crescenteric glomerulonephritis in sandblaster with, 675
——mortality pattern, Latium region, Italy, 877
——series, population based, histocompatibility antigens in, 364
SINCLAIR D *see* ANDERSON K *et al*
Sister chromatid exchange analysis in lymphocytes of workers exposed to hexavalent chromium, 48
SITAS F, DOUGLAS A J, and WEBSTER E C: Respiratory disease mortality patterns among South African iron moulders, 310
SKERFVING S *see* NISE G *et al*
SKÖLD C M *see* EKLUND A *et al*
SKYBERG K, HANSTEEN I-L, JELMERT Ø, and RØNNEBERG A: A cytogenetic and haematological investigation of oil exposed workers in a Norwegian cable manufacturing company, 791
SLANGEN J *see* VAN VLIET C *et al*
SLUIS-CREMER G K and BEZUIDENHOUT B N: Relation between *z*-bestosis and bronchial cancer in amphibole asbestos miners, 537
—— and HNIZDO E: Progression of irregular opacities in asbestos miners, 846
Smelter workers, cancer incidence and mortality, Sweden, 82
SMITH A B *see* AW T C *et al*
SMITH A E *see* BROOKE W E *et al*
SMITH T J *see* OSTERMAN J W *et al*
Smoking, confounding from, in occupational epidemiology: editorial, 505
——occupational exposure to rubber, and lung cancer, 12
SMOLDERS J F J *see* OPDAM J J G and SMOLDERS J F J
SNASHALL D: Undergraduate teaching of occupational health: editorial, 433
Social network factors, and job factors, predicting mortality, pulp and paper company, Sweden, 334
SÖDERKVIST P *see* LEANDERSON P *et al*
SÖDERSTRÖM D *see* HOTZ P *et al*
Solvents, exposure, biological monitoring variability. I Development of population physiological model, 447: II Application of population physiological model, 547
——industrial, long term exposure: correspondence, 750
——organic, prenarcotic and neuraesthenic symptoms, workers exposed to, Holland, 586
—— ——renal disease and occupational exposure, case referent approach, 643
SORAHAN T and CATHCART M: Lung cancer mortality among workers in a factory manufacturing chlorinated toluenes: 1961–84, 425
—— and COOKE M A: Cancer mortality in a cohort of United Kingdom steel foundry workers: 1946–85, 74
—— —— and WILSON S: Incidence of cancer of the scrotum, 1971–84: correspondence, 430
——PARKES H G, VEYS C A, WATERHOUSE J A H, STRAUGHAN J K, and NUTT A: Mortality in the British rubber industry 1946–85, 1
South Africa, iron moulders, respiratory disease mortality patterns, 310
SPAGGIARI M *see* MUTTI A *et al*
STARCK J *see* PYYKKÖ I *et al*
Steel foundry workers, cancer mortality, United Kingdom, 1946–85, 74
STEPHENSON R L *see* AW T C *et al*
Steroid hormone sulphation, lead workers, 204
STEWART P A *see* MILLER B A *et al*
STJERNBERG N *see* SANDSTRÖM T *et al*
STOCK S *see* MUIR D C F *et al*
STOLLERY B T, BANKS H A, BROADBENT D E, and LEE W R: Cognitive functioning in lead workers, 698
STRAUGHAN J K *see* SORAHAN T *et al*
Streptococcus suis meningitis, two cases, 352
STURMANS F *see* VAN VLIET C *et al*
Styrene ^{14}C, placental transfer and tissue distribution, mice, 376
——clinical and neurobehavioural study of acute and chronic neurotoxicity, 799
——long term neurotoxicity, glial fibrillary acidic protein (GFA) and S-100, quantitative study, 316
——low exposure, neuropsychiatric effects, 805
SUGAR E T *see* OGLE C J *et al*
SULLIVAN K R *see* NEWHOUSE M L and SULLIVAN K R
Sulphur dioxide exposure, investigation by broncho-alveolar lavage, 200
—— —— ——low level, respiratory symptoms associated with, silicon carbide production workers, 629
SURUDA A and AGNEW J: Deaths from asphyxiation and poisoning at work in the United States 1984–6, 541
SUZUKI S *see* KAWADA T *et al*
SWAEN G M H and MEIJERS J M M: Influence of design characteristics on the outcome of retrospective cohort studies: correspondence reply, 591
———Risk assessment of leukaemia and occupational exposure to benzene, 826
——*see also* VAN VLIET C *et al*
Sweden, carpal tunnel syndrome, and vibration, repetitive wrist movements, and heavy manual work, 43
——pulp and paper company, job factors, and social network factors predicting mortality, 334
SWEETNAM P M *see* GUBÉRAN E *et al*
Swine workers, environmental and health studies, Sweden, 31
SZYMANIEC S, BROWN D M, CHLADZYNSKA M, JANKOWSKA E, POLIKOWSKA H, and DONALDSON K: Antibody producing cells in the spleens of mice treated with pathogenic mineral dust, 724

t,t-Muconic acid, urinary, as indicator of benzene exposure, 122
TAGESSON C *see* LEANDERSON P *et al*
TAN K T *see* LEE H S *et al*
Tannery workers, hair chromium as index of chromium exposure, 171
Tanning industry, cancer mortality, Tuscany, 384
TANZARIELLO A *see* ABBATE C *et al*
Tar bitumen in road works, cancer risk from use, 24
TARANTINI T *see* BRANDT-RAUF P W *et al*
TAUBE A *see* SANDSTRÖM A I M *et al*
TAYLOR A J N *see* MUSK A W *et al*
TAYLOR B J *see* DICK R B *et al*
TAYLOR P R, QIAO Y-L, SCHATZKIN A, YAO S-X, LUBIN J, MAO B-L, RAO J-Y, MCADAMS M, XUAN X-Z, and LI J-Y: Relation of arsenic exposure to lung cancer among tin miners in Yunnan Province, China, 881
Tea asthma, response to specific and non-specific challenges, 350
TECULESCU D *see* MEYER-BISCH C *et al*
TEE R D *see* MUSK A W *et al*
TEGNER R *see* EKENVALL L *et al*
TETA M J: Influence of design characteristics on the outcome of retrospective cohort studies: correspondence, 591
Tetrachloroethylene, physiological model, 239
——respiratory intake, method for estimation, 250
——variability in kinetics, 831

Tetrahydrofuran poisoning after occupational exposure, 677
Textile mills, byssinosis prevalence, Ahmedabad, India, 787
THÉRIAULT G *see* OSTERMAN J W *et al*
THORÉN K, JÄRVHOLM B and MORGAN U: Mortality from asthma and chronic obstructive pulmonary disease among workers in a soft paper mill: a case-referent study, 192
THORNTON J C *see* KILBURN K H *et al*
THUN M J, OSORIO A M, SCHOBER S, HANNON W H, LEWIS B, and HALPERIN W: Nephropathy in cadmium workers: assessment of risk from airborne occupational exposure to cadmium, 689
Tin miners, arsenic exposure, relation to lung cancer, Yunnan Province, China, 881
TISSOT R *see* GUBÉRAN E *et al*
Titanium dioxide, and antibody producing cells in mouse spleens, 724
TOLONEN U *see* PIIKIVI L and TOLONEN U
Toluene, acute neurobehavioural effects, 483
——chlorinated, lung cancer mortality in factory manufacturing, 1961–84, 425
——diisocyanate, in vitro effect on beta adrenergic and muscarinic receptor function in lung tissue, rat, 56
——elimination from venous blood and adipose tissue after occupational exposure, 407
——and xylene, low doses, conjugated serum bile acid concentrations in workers exposed to, 141
TOMIOKA K *see* TOMODA A *et al*
TOMODA A, TOMIOKA K, and MINAMI M: Increased concentrations of haemoglobin X and Y in the erythrocytes of workers in a chemical plant in Japan, 502
TORNLING G *see* EKLUND A *et al*
TOVEY E R *see* KAUFMAN G L *et al*
Toxic exposure of firefighters, 209
Trichloroethylene and multiple sclerosis, 417
——physiological model, 239
——poisoning causing acute renal failure, 347
——respiratory intake, method for estimation, 250
——variability in kinetics, 831
TRIEBIG G, LEHRL S, WELTLE D, SCHALLER K H, and VALENTIN H: Clinical and neurobehavioural study of the acute and chronic neurotoxicity of styrene, 799
TRUE L D *see* SHALAT S L *et al*
TSURITANI I *see* KIDO T *et al*
TURNER T W *see* RATCLIFFE J M *et al*
Twinning in human populations and cattle exposed to air pollution from incinerators: correspondence, 215
Tylosin tartrate, occupational asthma due to, 498: correspondence, 894
Tyre makers, dermatosis from resorcinal, 212

U

Urine tests, old, new uses: editorial, 361
USEL M *see* GUBÉRAN E *et al*

V

VALENTIN H *see* TRIEBIG G *et al*
VAN NIEKERK I *see* DAVID N J *et al*
VAN VLIET C, SWAEN G M H, MEIJERS J M M, SLANGEN J, DE BOORDER T, and STURMANS F: Prenarcotic and neuraesthenic symptoms among Dutch workers exposed to organic solvents, 586
Vanadium induced impairment of haem synthesis, 744
Variables, orientated, and design characteristics, outcome of retrospective cohort studies: correspondence, 591
VDUs, possible health effects of working with: editorial, 217
VECCHIA C LA *see* LA VECCHIA C
VENABLES K M: Low molecular weight chemicals, hypersensitivity, and direct toxicity: the acid anhydrides, 222
—— *see also* MUSK A W *et al*
VEYS C A *see* SORAHAN T *et al*
Vibration, and carpal tunnel syndrome, Sweden, 43
——hand, short term, finger transitory postural vasomotor dysfunction after, 575
——peripheral nerve induced, ultrastructural changes, experimental study, 157
——syndrome, hand-arm, neurological symptoms and sensory testing, 570
——white fingers, maximal cutaneous blood flow, 892
VLIET C VAN *see* VAN VLIET C
Volatile organic chemicals, correlation of tissue, blood, and air partition coefficients, 321
VOS A *see* ROELS H A *et al*

W

WAGNER J C: Correlation between fibre content of lung and disease in east London asbestos factory workers: correspondence reply, 358
WALDRON H A: COSHH and the NHS: editorial, 753
—— and COX M: Occupational arthropathy: evidence from the past, 420
WALL S G I *see* SANDSTRÖM A I M *et al*
WANG J-D, HUANG C-C, HWANG Y-H, CHIANG J-R, LIN J-M, and CHEN J-S: Manganese induced parkinsonism: an outbreak due to an unrepaired ventilation control system in a ferromanganese smelter, 856
WANG Y T *see* LEE H S *et al*
WARSHAW R *see* KILBURN K H *et al*
WATANABE T *see* INOUE O *et al*
Water could reduce hazard of cancer from spirits, 423
——DBCP contamination, related to cancer and leukaemia, 521
——restriction and water loading, effects on daily urinary excretion, metal workers, 389
WATERHOUSE J A *see* HARRINGTON J M *et al*
WATERHOUSE J A H *see* SORAHAN T *et al*
WATT A D *see* ANDERSON K *et al*
WATT B *see* HAY P E *et al*
WEBSTER E C *see* SITAS F *et al*
WEILL H *see* JONES R N *et al*
WEINER J *see* NYLANDER M and WEINER J
WEISS W: Pulmonary fibrosis in asbestos insulation workers with lung cancer: correspondence, 430
WELTLE D *see* TRIEBIG G *et al*
WENNBERG A *see* GAMBERALE F *et al*
WHITBY H *see* HARRINGTON J M *et al*
WHORTON M D *see* WONG O *et al*
WICKHAM C A C *see* COTES J E *et al*
WIESLANDER G, NORBÄCK D, GÖTHE C-J, and JUHLIN L: Carpal tunnel syndrome (CTS) and exposure to vibration, repetitive wrist movements, and heavy manual work: a case-referent study, 43
WICKLUND K, DICH J, HOLM L-E, and EKLUND G: Risk of cancer in pesticide applicators in Swedish agriculture, 809
WILSON S *see* SORAHAN T *et al*
WINTER P D *see* COGOON D *et al*
WOITOWITZ H-J *see* KNECHT U *et al*
KNECHT U and WOITOWITZ H-J
WOLMAN R *see* DAVID N J *et al*
WONG O, MORGAN R W, WHORTON M D, GORDON N, and KHEIFETS L: Ecological analyses and case-control studies of gastric cancer and leukaemia in relation to DBCP in drinking water in Fresno County, California, 521
Work schedules, irregular and inconvenient, pregnancy outcome in relation to, 393
WU M M *see* DROZ P O *et al*

X

XUAN X-Z *see* TAYLOR P R *et al*
Xylene, and toluene, low doses, conjugated serum bile acid concentrations in workers exposed to, 141

Y

YAMADA Y *see* KIDO T *et al*
YAO S-X *see* TAYLOR P R *et al*
YAP J *see* LEE H S *et al*
YEO C T *see* LEE H S *et al*
YIN S-N *see* INOUE O *et al*
YU H S *see* HO S T and YU H S
ZHANG Z-F *et al*

Z

ZAHM S H *see* MILLER BA *et al*
Zeranol, an animal growth promoter, occupational exposure, 341
ZHANG Z-F, YU S-Z, LI W-X, and CHOI B C K: Smoking, occupational exposure to rubber, and lung cancer, 12
ZUIDERVELD O P *see* BORM P J A *et al*

Contents

No 1 *JANUARY 1989* PAGE

Mortality in the British rubber industry 1946–85
T Sorahan, H G Parkes, C A Veys, J A H Waterhouse, J K Straughan, A Nutt 1

Smoking, occupational exposure to rubber, and lung cancer
Zuo-Feng Zhang, Shun-Zhang Yu, Wan-Xian Li, B C K Choi 12

Disability, mortality, and incidence of cancer among Geneva painters and electricians: a historical prospective study
E Gubéran, M Usel, L Raymond, R Tissot, P M Sweetnam 16

Risk of cancer from the use of tar bitumen in road works
U Knecht, H-J Woitowitz 24

Environmental and health studies of farm workers in Swedish swine confinement buildings
Kelley Donham, P Haglind, Yvonne Peterson, R Rylander, L Belin 31

Further results from a census based mortality study of fertiliser manufacturers
Patricia Fraser, Clair Chilvers, M Day, P Goldblatt 38

Carpal tunnel syndrome (CTS) and exposure to vibration, repetitive wrist movements, and heavy manual work: a case-referent study
Gunila Wieslander, D Norbäck, C-J Göthe, L Juhlin 43

Sister chromatid exchange analysis in lymphocytes of workers exposed to hexavalent chromium
T Nahaya, N Ishikawa, H Hata 48

Cadmium, NAG activity, and β_2-microglobulin in the urine of cadmium pigment workers
T Kawada, H Koyama, S Suzuki 52

In vitro effect of toluene diisocyanate on beta adrenergic and muscarinic receptor function in lung tissue of the rat
P J A Borm, A Bast, O P Zuiderveld 56

Occupational asthma after exposure to azodicarbonamide: report of four cases
J-C Normand, F Grange, C Hernandez, A Ganay, P Davezies, A Bergeret, G Prost 60

Ethical conflict in the practice of occupational medicine
P W Brandt-Rauf 63

Short reports

Reversible airways obstruction and interstitial pneumonitis due to acetic acid
K G Rajan, B H Davies 67

Pleural mesothelioma in a brake mechanic
M Huncharek, J Muscat, J V Capotorto 69

Correspondence

Calculating expected numbers of deaths in cohort studies
M J Gardner 72

Notices 72

No 2 *FEBRUARY 1989* PAGE

Editorial

Occupational bladder cancer and the hospital clinician
P J Baxter 73

Cancer mortality in a cohort of United Kingdom steel foundry workers: 1946–85
T Sorahan, M A Cooke 74

Cancer incidence and mortality among Swedish smelter workers
Anita I M Sandström, S G I Wall, A Taube 82

Incidence of cancer and mortality among employees in the asbestos cement industry in Denmark
Edith Raffn, Elsebeth Lynge, K Juel, B Korsgaard 90

Progression of asbestos effects: a prospective longitudinal study of chest radiographs and lung function
R N Jones, J E Diem, Janet M Hughes, Yehia Y Hammad, H W Glindmeyer, H Weill 97

Asbestosis occurring after brief inhalational exposure: usefulness of bronchoalveolar lavage in diagnosis
R G Barbers, J L Abraham 106

Neurobehavioural effects of short duration exposures to acetone and methyl ethyl ketone
R B Dick, J V Setzer, B J Taylor, R Shukla 111

Urinary t,t-muconic acid as an indicator of exposure to benzene
O Inoue, K Seiji, H Nakatsuka, T Watanabe, S-N Yin, G-L Li, S-X Cai, C Jin, M Ikeda 122

Changes in lung function after working with the shotcrete lining method under compressed air conditions
R Kessel, M Redl, R Mauermayer, G J Praml 128

Morbidity among employees engaged in the manufacture or formulation of chlorpyrifos
F E Brenner, G G Bond, E A McLaren, S Greene, R R Cook 133

Hepatocellular carcinoma and exposure to hexachlorobenzene: a case report
A Selden, G Jacobson, P Berg, O Axelson 138
Conjugated serum bile acid concentrations in workers exposed to low doses of toluene and xylene
G Franco, G Santagostino, M Lorena, M Imbriani 141
Correspondence
Determinants of chronic bronchitis and lung dysfunction in Western Australian gold miners
C D'Arcy J Holman, P Psaila-Savona 143
Outcome of retrospective cohort studies and study size: a publication bias?
Rosanne McNamee 143
Phenoxy herbicides and non-Hodgkin's lymphoma in New Zealand: frequency and duration of herbicide use
N Pearce 143

No 3 *MARCH 1989* PAGE
Respiratory input in inhalation experiments
J J G Opdam 145
Ultrastructural changes of the peripheral nerve induced by vibration: an experimental study
S T Ho, H S Yu 157
Renal tubular function of workers exposed to low levels of cadmium
K S Chia, C N Ong, H Y Ong, G Endo 165
Hair chromium as an index of chromium exposure of tannery workers
Janis A Randall, Rosalind S Gibson 171
A mortality study of workers manufacturing friction materials: 1941–86
M L Newhouse, K R Sullivan 176
Respiratory cancer in chrysotile textile and mining industries: exposure inferences from lung analysis
P Sebastien, J C McDonald, A D McDonald, B Case, R Harley 180
Lung cancer in the meat industry
D Coggon, B Pannett, E C Pippard, P D Winter 188
Mortality from asthma and chronic obstructive pulmonary disease among workers in a soft paper mill: a case-referent study
K Thorén, B Järvholm, U Morgan 192
Work in pregnancy and birth weight for gestational age
B G Armstrong, A D Nolin, A D McDonald 196
Is the short term limit value for sulphur dioxide exposure safe? Effects of controlled chamber exposure investigated with bronchoalveolar lavage
T Sandström, N Stjernberg, M-C Andersson, B Kolmodin-Hedman, R Lundgren, T Ångström 200
Steroid hormone sulphation in lead workers
P Apostoli, L Romeo, E Peroni, A Ferioli, S Ferrari, F Pasini, F Aprili 204
Health hazards of firefighters: acute pulmonary effects after toxic exposures
P W Brandt-Rauf, B Cosman, L Fleming Fallon Jr, T Tarantini, Cathy Idema 209
Short report
Dermatosis from resorcinal in tyre makers
C Abbate, I Polito, A Puglisi, R Brecciaroli, A Tanzariello, D Germano 212
Correspondence
Twinning in human populations and in cattle exposed to air pollution from incinerators
P W Jones 215
Notices 216

No 4 *APRIL 1989* PAGE
Possible health effects of working with VDUs
U Bergqvist 217
Low molecular weight chemicals, hypersensitivity, and direct toxicity: the acid anhydrides
Katherine M Venables 222
Organic dust toxic syndrome among farmers
Anna Rask-Andersen 233
Potential of physiologically based pharmacokinetics to amalgamate kinetic data of trichloroethylene and tetrachloroethylene obtained in rats and man
A Koizumi 239
A method for the retrospective estimation of the individual respiratory intake of a highly and a poorly metabolising solvent during rest and physical exercise
J J G Opdam, J F J Smolders 250

China clay workers in the south west of England: analysis of chest radiograph readings, ventilatory capacity, and respiratory symptoms in relation to type and duration of occupation
C J Ogle, E M Rundle, E T Sugar .. 261
Inflammation generating potential of long and short fibre amosite asbestos samples
K Donaldson, G M Brown, D M Brown, R E Bolton, J M G Davis .. 271
Medical planning for toxic releases into the community: the example of chlorine gas
P J Baxter, P C Davies, V Murray .. 277
What is measured by the alcian blue binding to red blood cells?
A Mutti, E Bergamaschi, G M Ghiggeri, P G Righetti, M Spaggiari, Rossella Alinovi, G Candiano, I Franchini .. 286
Correspondence
High urinary cadmium concentration in a case of gastric cancer
T Kido, R Honda, I Tsuritani, M Ishizaki, Y Yamada, K Nogawa .. 288

No 5 *MAY 1989* PAGE
Editorial
Silica, silicosis, and lung cancer
J C McDonald .. 289
Respiratory symptoms and impairment in shipyard welders and caulker/burners
J E Cotes, E L Feinmann, V J Male, F S Rennie, C A C Wickham .. 292
Respiratory hazards in hard metal workers: a cross sectional study
C Meyer-Bisch, Q T Pham, J-M Mur, N Massin, J-J Moulin, D Teculescu, B Carton, F Pierre, F Baruthio 302
Respiratory disease mortality patterns among South African iron moulders
F Sitas, Allison J Douglas, E C Webster .. 310
Long term neurotoxicity of styrene. A quantitative study of glial fibrillary acidic protein (GFA) and S-100
L E Rosengren, K G Haglid .. 316
Correlation of tissue, blood, and air partition coefficients of volatile organic chemicals
Sally Paterson, D Mackay .. 321
Fathers' occupation and pregnancy outcome
A D McDonald, J C McDonald, B Armstrong, N M Cherry, A D Nolin, D Robert .. 329
Job demands, job decision latitude, job support, and social network factors as predictors of mortality in a Swedish pulp and paper company
N-E Åstrand, B S Hanson, S-O Isacsson .. 334
Occupational exposure to zeranol, an animal growth promoter
T C Aw, A B Smith, R L Stephenson, C J Glueck .. 341
Short reports
Acute renal failure due to trichloroethylene poisoning
N J David, R Wolman, F J Milne, I van Niekerk .. 347
Tea asthma: response to specific and non-specific challenges
J Lewis, W K C Morgan .. 350
Two cases of *Streptococcus suis* meningitis
P E Hay, J G Cunniffe, G Kramer, A J France, J A Gray, B Watt .. 352
Domestic asbestos exposure, lung fibre burden, and pleural mesothelioma in a housewife
M Huncharek, J V Capotorto, J Muscat .. 354
Percutaneous absorption of methyl methacrylate by dental technicians
R Rajaniemi, P Pfäffli, H Savolainen .. 356
Correspondence
Correlation between fibre content of lung and disease in east London asbestos factory workers
R M Rudd .. 358
Notices .. 359

No 6 *JUNE 1989* PAGE
Editorial
New uses for old urine tests
H Savolainen .. 361
Histocompatibility antigens in a population based silicosis series
Kathleen Kreiss, J A Danilovs, L S Newman .. 364
EEG findings in chlor-alkali workers subjected to low long term exposure to mercury vapour
Leena Piikivi, U Tolonen .. 370
Placental transfer and tissue distribution of ^{14}C-styrene: an autoradiographic study in mice
R Kishi, Y Katakura, T Okui, H Ogawa, T Ikeda, H Miyake .. 376

Cancer mortality among workers in the Tuscan tanning industry
A Seniori Constantini, E Paci, Lucia Miligi, Eva Buiatti, Cristina Martelli, S Lenzi 384
Effects of water restriction and water loading on daily urinary excretion of heavy metals and organic substances in metal workers
S Araki, H Aono 389
Outcome of pregnancy in relation to irregular and inconvenient work schedules
Gösta Axelsson, Ragnar Rylander, Inga Molin 393
Semen quality in workers exposed to 2-ethoxyethanol
Jennifer M Ratcliffe, S M Schrader, D E Clapp, W E Halperin, T W Turner, R W Hornung 399
Elimination of toluene from venous blood and adipose tissue after occupational exposure
G Nise, R Attewell, S Skerfving, P Ørbæk 407
Endotoxin levels in farming: absence of symptoms despite high exposure levels
Anna Rask-Andersen, P Malmberg, Monica Lundholm 412
Multiple sclerosis and occupational exposure to chemicals: a co-twin control study of a nationwide series of twins
J Juntunen, E Kinnunen, Mari Antti-Poika, M Koskenvuo 417
Occupational arthropathy: evidence from the past
H A Waldron, Margaret Cox 420
Short reports
Water could reduce the hazard of cancer from spirits
E Boyle 423
Lung cancer mortality among workers in a factory manufacturing chlorinated toluenes: 1961–84
T Sorahan, M Cathcart 425
Dyspepsia in coalminers and the general population: a comparative study
J D Harrison, D L Morris 428
Correspondence
Pulmonary fibrosis in asbestos insulation workers with lung cancer
W Weiss 430
Incidence of cancer of the scrotum, 1971–84
T Sorahan, M A Cooke, S Wilson 430
Influence of design characteristics on the outcome of retrospective cohort studies
Geraldine V Cox 431
Chronic lung disease and occupational dust exposure
D C F Muir, S Stock, H A Shannon, A D Oxman 432

No 7 *JULY 1989* PAGE

Editorial
Undergraduate teaching of occupational health
D Snashall 433
Hydroxyl radical mediated DNA base modification by manmade mineral fibres
P Leanderson, P Söderkvist, C Tagesson 435
Risk factors in the genesis of sensorineural hearing loss in Finnish forestry workers
I Pyykkö, K Koskimies, J Starck, J Pekkarinen, M Färkkilä, R Inaba 439
Variability in biological monitoring of solvent exposure. I Development of a population physiological model
P O Droz, M M Wu, W G Cumberland, M Berode 447
Natural history of pleural thickening after exposure to crocidolite
N H de Klerk, W O C Cookson, A W Musk, B K Armstrong, J J Glancy 461
Pulmonary function in histology technicians compared with women from Michigan: effects of chronic low dose formaldehyde on a national sample of women
Kaye H Kilburn, R Warshaw, J C Thornton 468
Occupational allergy in an entomological research centre. I Clinical aspects of reactions to the sheep blowfly *Lucilia cuprina*
G L Kaufman, B H Gandevia, T E Bellas, E R Tovey, B A Baldo 473
Atmospheric concentrations of polycyclic aromatic hydrocarbons during chimney sweeping
U Knecht, U Bolm-Audorff, H-J Woitowitz 479
Acute neurobehavioural effects of toluene
Diana Echeverria, L Fine, G Langolf, A Schork, C Sampaio 483
Short reports
Effect of retinoic acid on asbestos induced plasminogen activator activity of peritoneal macrophages
D Lison, B Knoops, R Lauwerys 496

Occupational asthma due to tylosin tartrate
H S Lee, Y T Wang, C T Yeo, K T Tan, K V Ratnam 498
Pleural mesothelioma in a lift mechanic
M Huncharek, J Muscat, J Capotorto 500
Increased concentrations of haemoglobin X and Y in the erythrocytes of workers in a chemical plant in Japan
Akio Tomoda, Kazuhisa Tomioka, Masayasu Minami 502

No 8 *AUGUST 1989* PAGE
Editorial
Confounding from smoking in occupational epidemiology
O Axelson 505
Cancer and other mortality patterns among United States furniture workers
B A Miller, A E Blair, H L Raynor, Patricia A Stewart, Sheila Hoar Zahm, J F Fraumeni, Jr 508
Malignant lymphomas and occupational exposures
B Persson, Ann-Marie Dahlander, M Fredriksson, H Noorlind Brage, C-G Ohlson, O Axelson 516
Ecological analyses and case-control studies of gastric cancer and leukaemia in relation to DBCP in drinking water in Fresno County, California
O Wong, R W Morgan, M D Whorton, Nancy Gordon, Leeka Kheifets 521
Cancer mortality in relation to measures of occupational exposure to crocidolite at Wittenoom Gorge in Western Australia
N H de Klerk, B K Armstrong, A W Musk, M S T Hobbs 529
Relation between asbestosis and bronchial cancer in amphibole asbestos miners
G K Sluis-Cremer, B N Bezuidenhout 537
Deaths from asphyxiation and poisoning at work in the United States 1984–6
A Suruda, J Agnew 541
Variability in biological monitoring of organic solvent exposure. II Application of a population physiological model
P O Droz, M M Wu, W G Cumberland 547
Excretion of 1,2,4-benzenetriol in the urine of workers exposed to benzene
O Inoue, K Seiji, H Nakatsuka, T Watanabe, S-N Yin, G-L Li, S-X Cai, C Jin, M Ikeda 559
Diurnal variation in peak expiratory flow rate among grain elevator workers
P Revsbech, G Andersen 566
Correspondence between neurological symptoms and outcome of quantitative sensory testing in the hand-arm vibration syndrome
Lena Ekenvall, Gösta Gemne, R Tegner 570
Transitory postural vasomotor dysfunction in the finger after short term hand vibration
N Olsen, O U Petring, N Rossing 575
Cancer mortality in the asphalt industry: a ten year follow up of an occupational cohort
Eva S Hansen 582
Prenarcotic and neuraesthenic symptoms among Dutch workers exposed to organic solvents
C van Vliet, G M H Swaen, J M M Meijers, J Slangen, T de Boorder, F Sturmans 586
Correspondence
Influence of design characteristics on the outcome of retrospective cohort studies
M Jane Teta 591
Notices 592

No 9 *SEPTEMBER 1989* PAGE
Editorial
Toxicity of lead at low dose
P J Landrigan 593
Factors associated with the development of progressive massive fibrosis in British coalminers: a case-control study
W M Maclaren, J F Hurley, H P R Collins, A J Cowie 597
Studies of the carcinogenesis and tumorigenesis of skin applications of dodecylbenzene on hairless mice
O H Iversen 608
Incidence of cancer in a cohort of magnesium production workers
S S Heldaas, S Langård, A Andersen 617
Cancer mortality in a northern Italian cohort of rubber workers
Eva Negri, G Piolatto, E Pira, A Decarli, J Kaldor, C la Vecchia 624
Respiratory symptoms associated with low level sulphur dioxide exposure in silicon carbide production workers
J W Osterman, I A Greaves, T J Smith, S K Hammond, J M Robins, G Thériault 629
Respiratory symptoms, lung function, and sensitisation to flour in a British bakery
A W Musk, K M Venables, B Crook, A J Nunn, R Hawkins, G D W Crook, B J Granceek, R D Tee, N Farrer, D A Johnson, D J Gordon, J H Darbyshire, A J Newman Taylor 636

Renal disease and occupational exposure to organic solvents: a case referent approach
J M Harrington, Helen Whitby, C N Gray, Fiona J Reid, T C Aw, J A Waterhouse 643
Prevalence of back pain among fulltime United States workers
J P Leigh, R M Sheetz 651
Mortality among pulp and paper workers in Berlin, New Hampshire
P K Henneberger, B G Ferris Jr, R R Monson 658
Mortality of a cohort in a polyamide-polyester factory in Lyon: a further follow up
Martine Hours, Elisabeth Cardis, Anne Marciniak, P Quelin, J Fabry 665
Climate, intermittent humidification, and humidifier fever
K Anderson, A D Watt, D Sinclair, C Lewis, C P McSharry, G Boyd 671
Short reports
Rapidly progressive crescenteric glomerulonephritis in a sandblaster with silicosis
D Sherson, F Jørgensen 675
Tetrahydrofuran poisoning after occupational exposure
R Garnier, N Rosenberg, J M Puissant, J P Chauvet, M L Efthymiou 677
Correspondence
Cadmium, NAG activity and β_2-microglobulin in the urine of cadmium pigment workers
A Bernard, R Lauwerys 679
Notice 680

No 10 *OCTOBER 1989* PAGE
Editorial
Comparing biological effects of mineral fibres
J Dunnigan 681
Health protection and promotion at work
R S F Schilling 683
Nephropathy in cadmium workers: assessment of risk from airborne occupational exposure to cadmium
M J Thun, Ana Maria Osorio, Susan Schober, W H Hannon, Brenda Lewis, W Halperin 689
Cognitive functioning in lead workers
B T Stollery, H A Banks, D E Broadbent, W R Lee 698
Work related decrement in pulmonary function in silicon carbide production workers
J W Osterman, I A Greaves, T J Smith, S K Hammond, J M Robins, G Thériault 708
Alterations in the laryngeal mucosa after exposure to asbestos
V Kambič, Z Radšel, N Gale 717
Antibody producing cells in the spleens of mice treated with pathogenic mineral dust
S Szymaniec, D M Brown, Maryla Chladzynska, Elzbieta Jankowska, Henryka Polikowska, K Donaldson 724
Acute effects of ELF electromagnetic fields: a field study of linesmen working with 400 kV power lines
F Gamberale, B Anshelm Olson, P Eneroth, T Lindh, A Wennberg 729
A mortality cohort study in a north Italian aircraft factory
C Costa, F Merletti, N Segnan 738
Vanadium induced impairment of haem synthesis
C Missenard, G Hansen, D Kutter, A Kremer 744
Short report
An unrecognised form of hydrogen sulphide keratoconjunctivitis
J Luck, S B Kaye 748
Correspondence
Long term exposure to industrial solvents
Elizabeth Kandel, D Freed 750
Occupational bladder cancer and the hospital clinician
W E Brooke, W Howe, A E Smith 750
Relation between mercury and selenium in pituitary glands of dental staff
M Nylander, J Weiner 751
Medical planning for toxic releases into the community: the example of chlorine gas
J R Jackson 752

No 11 *NOVEMBER 1989* PAGE
Editorial
COSHH and the NHS
H A Waldron 753
Health significance of cadmium induced renal dysfunction: a five year follow up
H A Roels, R R Lauwerys, J P Buchet, A M Bernard, A Vos, M Oversteyns 755

Pulmonary function among pulp and paper workers in Berlin, New Hampshire
P K Henneberger, Ellen A Eisen, B G Ferris Jr 765
Differences in lung function and prevalence of pneumoconiosis between two kaolin plants
M E Baser, T P Kennedy, R Dodson, W Rawlings Jr, N V Rao, J R Hoidal 773
Role of computed tomography in evaluating asbestos related lung disease
S Lozewicz, R H Reznek, M Herdman, J E Dacie A McLean, R J Davies 777
Characteristics of alveolar cells and soluble components in bronchoalveolar lavage fluid from non-smoking aluminium potroom workers
A Eklund, R Arns, E Blaschke, J Hed, S-O Hjertquist, K Larsson, H Lõwgren, J Nyström, C M Sköld, G Tornling 782
Prevalence of byssinosis in textile mills at Ahmedabad, India
J R Parikh, L J Bhagia, P K Majumdar, A R Shah, S K Kashyap 787
A cytogenetic and haematological investigation of oil exposed workers in a Norwegian cable manufacturing company
K Skyberg, Inger-Lise Hansteen, Ø Jeimert, A Rønneberg 791
Clinical and neurobehavioural study of the acute and chronic neurotoxicity of styrene
G Triebig, S Lehrl, D Weltle, K H Schaller, H Valentin 799
Neuropsychiatric effects of low exposure to styrene
U Flodin, K Ekberg, L Andersson 805
Risk of cancer in pesticide operators in Swedish agriculture
Kerstin Wiklund, J Dich, L-E Holm, G Eklund 809
Relation between renal function tests and a retrospective organic solvent exposure score
P Hotz, J Pilliod, D Söderström, F Rey, M A Boillat, H Savolainen 815
Occupational asthma due to unheated polyvinylchloride resin dust
H S Lee, J Yap, Y T Wang, C S Lee, K T Tan, S C Poh 820
Kidney cancer in utility workers exposed to polychlorinated biphenyls (PCBs)
S L Shalat, L D True, Lora E Fleming, Patricia E Pace 823

No 12 *DECEMBER 1989* PAGE
Editorial
The sick doctor
J A Lunn 825
Risk assessment of leukaemia and occupational exposure to benzene
G M H Swaen, J M M Meijers 826
Intra and interindividual variability in the kinetics of a poorly and highly metabolising solvent
J J G Opdam 831
Progression of irregular opacities in asbestos miners
G K Sluis-Cremer, Eva Hnizdo 846
Excessive accumulation of asbestos fibre in the bronchoalveolar space may be a marker of individual susceptibility to developing asbestosis: experimental evidence
R Bégin, P Sébastien 853
Manganese induced parkinsonism: an outbreak due to an unrepaired ventilation control system in a ferromanganese smelter
J-D Wang, C-C Huang, Y-H Huang, J-R Chiang, J-M Lin, J-S Chen 856
Workers exposed to ethylene oxide: a follow up study
M J Gardner, D Coggon, B Pannett, E C Harris 860
Inflammatory responses in lungs of rats inhaling coal-mine dust: enhanced proteolysis of fibronectin by bronchoalveolar leukocytes
Geraldine M Brown, K Donaldson 866
Pulmonary dysfunction in gold miners with reactive airways
R L Cowie 873
Mortality pattern of silicotic subjects in the Latium region, Italy
F Forastiere, Susanna Lagorio, Paola Michelozzi, C A Perucci, O Axelson 877
Relation of arsenic exposure to lung cancer among tin miners in Yunnan Province, China
P R Taylor, Y-L Qiao, A Schatzkin, S-X Yao, J Lubin, B-L Mao, J-Y Rao, M McAdams, X-Z Xuan, J-Y Li 881
Factors influencing endotoxin concentrations on cotton grown in hot, humid environments: a two year study
A J Delucca II, G P Shaffer 887
Short report
Maximal cutaneous blood flow in vibration white fingers
F Bouvier, G-J Göthe, L-E Lindblad 892
Correspondence
Pleural mesothelioma in a lift mechanic
D J Kilpatrick 894
Occupational asthma due to Tylosin tartrate
W J F Gollins 894
Notice 894
Index to volume 895